HemoCue[®] WBC System

From Assessment to Treatment Faster

Based on HemoCue's proven, reliable microcuvette technology, the HemoCue WBC System brings you the unique benefit of determining total white blood cell counts right at the point of care. In just three minutes, you have results with the same precision and accuracy as those from a central laboratory.

Fitting seamlessly into a variety of clinical applications and even remote field clinics, the benefits are clear. Immediate WBC counts can mean the difference between waiting and taking action at the point of care — helping you move from assessment to treatment within minutes rather than hours or days.

Accuracy Starts With Us

Answers Right When You Need Them

- Lab-accurate results in minutes
- Faster treatment decisions and streamlined workflow
- Easy to use by non-laboratory personnel after a brief training
- Capillary or venous samples
- Industry leading 3 year warranty

Accuracy for Confident Decisions

- Factory calibration with no further calibration needed
- Unique software for internal QC
- Blood-based liquid controls available



深圳为尔康科技有限公司 联系人:曾祥满 手机:13632925349 QQ:274798107 电话:0755- 28896837 地址:深圳市龙岗区沙平北路111号608A 网址:www.medicalQC.com 邮箱:szchina1718@163.com



HemoCue® WBC System

Product Specifications

Principle	Imaging system characterizing white	
	cells that are stained and counted	HemoCu
Calibration	Factory calibrated; needs no further calibration	30 - Coefi
Sample Material	Capillary or venous (EDTA) whole blood	$\begin{array}{c} - \\ - \\ 0 \end{array} \begin{array}{c} b_0 = - \\ b_1 = 1 \end{array}$
Measurement Range	0.3-30.0 × 10º/L (300-30000/mm , 300-30000/µL)	$\begin{array}{c} \overleftarrow{T} \\ \overleftarrow{T} \\ \overleftarrow{T} \\ \overleftarrow{T} \\ \overleftarrow{T} \end{array} = 20 \mathbf{N} = 2 \end{array}$
Measuring Time	Within 3 minutes	eplice
Sample Volume	10 µL	
Dimensions	185 × 133 × 120 mm (7.28 × 5.24 × 4.72 inches)	Do e - 4 Do e -
Weight	600 g (1.32 pounds) with batteries installed	Hem 5 -
Storage Temp.	Analyzer: 0-50 °C (32-122 °F) Microcuvettes: 15-35 °C (59-95 °F), <90% non-condensing humidity; short-term storage (four weeks, unopened) 0-50 °C (32-122 °F), <90% non-condensing humidity; three-month open vial stability	0 0 5 Sysm
Operating Temp.	15-35 °C (59-95 °F)	
Power	AC Adapter or batteries	
Interface	Printer and PC	
Quality Control	Built-in "selftest"; three levels of liquid controls available	VWR Cata
Product Item Number	HemoCue WBC Analyzer	10842-
	HemoCue WBC Microcuvettes (4x40)	10842-
	WBC Cuvette Holder	10842-
	HemoCue Cleaner Plus WBC (5/box)	10842-



VWR Catalog No.	Supplier Part No.
10842-820	123001
10842-828	113003
10842-878	133001
10842-880	139130

A Few Simple Steps



1 Fill microcuvette.



2 Place microcuvette into analyzer.



3 View results.



1116 Lit. No. 081860W



深圳为尔康科技有限公司 联系人:曾祥满 手机:13632925349 QQ:274798107 电话:0755-28896837 地址:深圳市龙岗区沙平北路111号608A 网址:www.medicalQC.com 邮箱:szchina1718@163.com

